



PT 4 Concealment with & without Lights - Pistols

Gun/Mfr/Model	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
AMT	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
Hardballer	5.00"				53	53	53	53		53								53					
Beretta	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
92/96Vertec M9A1	4.70"					73												73	73				73
92/96 Vertec w/Light Rail N/A for Double Action Bobbed Hammer	4.70"							49							73								
90 Two Note: Weapon will not fit in Holster with the accessory rail cover attached.	4.78"							49										73					
92BrigadierD	4.90"							53					140					173					
92BrigadierFS	4.90"							53					140					73					
92 Brigadier	4.90"							49											73				
92D	4.90"				73	73		53	73		73	73	140	73				173	73	73			73
92DM	4.30"				73	73		53	73				140	73				173					
92DS	4.90"				73	73		53	73				140	73	73			173					
92F	4.90"				73	73		53	73		73	73	140	73				73	73	73			73
92FC	4.30"				273	73		51	73				140					73					
92FCDA	4.30"				73	73		51	73				140					173					
92FCM	4.30"				273	73		51	73				140					73					
92FS	4.90"				73	73		53	73		73	73	140	73				73	73	73			73
92FSCenturion	4.30"				273	73		51	73				140					73					
92G	4.90"				73	73		53	73				140	73				73	73				
92GELITE	4.90"																						
96	4.90"				73	73		53	73				140	73				73					
96BrigadierD	4.90"							53										173					
96BrigadierG	4.90"							53										73					
96 Brigadier	4.90"																		73				
96Centurion	4.30"				273	73		51	73				140					73					
96D	4.90"				73	73		53	73				140	73				173	73				
96DC	4.30"				273	73		51	73				140					173					
96DS	4.90"				73	73		53	73				140	73				173					
96DSBrigadierD	4.90"							53					140					173					
96F 96FS	4.90"																		73				
96G	4.90"				73	73		53	73				140	73				73	73				
96G SD, 92G SD	4.90"																	73					
Cougar8000, 8040 Cougar D DAO	3.60"				71			54					140					171					
Cougar8000,8040 Cougar G, F, D	3.60"				71			54					140					71					
Cougar8045F	3.60"																	71					
Cougar8357	3.60"				71																		
PX4 Storm 9mm & .40 DAO Only	4.00"																			181			
PX4 Storm 9mm & .40 DASA Only	4.00"				77			744		283		180	140		180			180	180	180			
PX4 Storm .45ACP	4.00"											185						185	185	185			
With Lights	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
92 F w/ITI mount Streamlight M3/M6, TLR-1,TLR-2, or Insight XTI Procyon light NOTE: Holster will not retain weapon without light attached.	4.90"																	7321					
92F, 92FS, 92B 92 Brigader w/Surefire P116	4.90"																	736					
92F w/Surefire MR-11 adapter & Surefire X200 or X300	4.90"																	73421					
92 Sure-Fire Nitrolon Light P116C,P116D, P116 NOTE: Holster will retain weapon without light attached	4.90"																	736					
92/96 Vertec w/ Surefire Nitrolon P001 light	4.70"																	7346					
Vertec 92F, 96 w/ M3, M6 or M3 LED IT Tactical Illuminator Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.70"																	73421					
PX4 Storm with ITI M3, M6, Insight XTI Procyon, TLR-1, TLR-2, Surefire X200 or X300 lights	4.00"																	18021					
Browning	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
BDM9mm	4.73"						18	53					140										
HighPower9mm	4.66"							53										76					
Hi Power 9mm (Canadian Version)	4.60"																	376					
Caspian with Lights	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
1911 w/Military Mount with Beamshot Model 8800	5.00"																	5322					
Colt	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
CombatElite	5.00"				53	53	53	53		53				53		53		53					
CombatTarget	5.00"																	53					
Commander	4.25"				53	51	53	51						51	51								
DeltaElite	5.00"				53	53	53	53		53				53		53		53					
DeltaGoldCup	5.00"				53	53	53	53		53				53		53		53					
GoldCupNIMatch	5.00"				53	53	53	53		53				53		53		53					
Government.380	3.25"									53				89									
Government1911	5.00"	53			53	53	53	53		53		53		53		53		53	53	53			
Mustang	2.75"																						
Officer's 45ACP	3.50"				54	53	54							54	54								
With Lights	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire X200 or X300 Light	5.00"																	530					
CZ	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379

Gun/Mnfctr/Model	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
75.85	4.50"							51					140	99				90					
75 P-01	3.80"							744			140							290					
75 SP01 Shadow	4.00"															490							
EAA	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
Witness 9mm, 40SW, Sport 9mm, Sport 40SW	4.50"							51					140	99				90					
FN	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
Five-Seven	4.80"							49										61					
FN9-Browning PRO-9	4.00"				77		383	744										260					
FN9 45	4.50"							744										261					
FNS 9mm & 40 SW	4.00"											266				266		266	266				
FNS 9mm & 40 SW	5.00"																	267					
FNX 9mm & 40 SW	4.00"							744					140			265		265					
With Lights	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
Five-Seven w/ Tactical Illuminator light refire M3, M6, M3 LED or Insight XTI Procyon N/A for M3X/M6X. Or Streamlight TLR-1 and TLR-2. Note: holster will not retain weapon without light attached.	4.80"																	6121					
FNS 9mm & 40 SW W/ M3, TLR-1, Surefire X200/X300 and WX1AA Light	4.00"																			2662			
FNS 9mm & 40 SW W/ M3, TLR-1, Surefire X200/X300 and WX1AA Light	5.00"																			2672			
Glock	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
17.17C.22.22C.31 (.357)	4.50"	83				83	83	83	83	83	283	83	140	83		83	83	83	83	83	83	83	83
17 & 22. Dual Mag release	4.50"																	983	983				
19.19C.23.23C.25.32	4.00"	283				283	283	83	54	283	283	283	140	283		283	283	283	283				238
19 & 23. Dual Mag release	4.00"																	9283					
20.20C.21.21C.	4.60"					383	383	83			383	383	140	383		383		383	383	383			
21SF w/STD Glock Rails	4.60"							83					140			383		383	383	383			
21SF w/Picatinny Rails	4.60"							49										383					
33.28	3.50"					83	183	83	54	183	183	283	183	140	183		183	183		183			183
26. 27	3.50"	183				183	183	83	54	183	183		140	183		183		283		183			
29.30	3.78"					483		83	483		483	483	140	483	483			483		483			
30S	3.77"							83								383				485			
30SF	3.77"																			483			
34.35	5.32"					83		49			283	683	140			683		683					
36	3.75"					83		54										283					83
37	4.50"					383		49					140	383				783	783	783			
38	4.00"							83												783			
39	3.38"					483	383	744					140	483						883			
41	5.25"							49					140			683				683			
42	3.25"																						
With Lights	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
17.22, 19, 23 w/ITI M3, TLR-1, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.50"														832			832					
17.22, 19, 23 w/ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon	4.50"											832			832				832	832			
17.22 w/ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.50"														8312								
17.22 W/ITI Streamlight M3, TLR-1, Surefire X200, X300, X300U, or Insight XTI Procyon NOTE: Holster will retain weapon without light attached	4.50"																		832				
17.22, 31w/Glock Tactical Light Systems: GTL 10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52(light/laser with dim-switch) Note:holster will not retain weapon without light attached	4.50"																	8310					
17.22 w/ Surefire X200 or X300	4.50"																	836					
17.22, w/Glock Tactical Light Systems: GTL 10 (light only), GTL21, GTL22 (light laser combo) GTL51, GTL52	4.50"																		8310				
17.22, 31 with Beamshot Model 8000 or Model 8100	4.50"																	8312					
17.22, 31 with ITI M3X or M6X	4.50"														8312			8312					
17.22 with TLR-1, TLR-2, ITI M3, M6, M3X, M6X, or Insight XTI Procyon	4.50"																						
17.22, 31,23 M3, M6, M3 LED IT Tactical Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.50"																	8321					
17.22 4.50" BBL with the Oerlikon Contraves LLM-01 Module with Filter	4.50"																	8341					
17.22 Dual Magazine Release with ITI M3	4.50"																	9832					
17.22 Dual Magazine Release and Glock GTL10 Light	4.50"																	9832					
17.22 Dual Magazine Release and Glock GTL10 Light, GTL 21, GTL 22,Light/Laser Combo	4.50"																	98310					
17.22, 19 with SureFire, X200, X300, X400, and X400U Light	4.50"																	8314					
19.19C.23.23C w/ Surefire X200 or X300	4.00"														832			2830					
19.23 with ITI M3, TLR-1, Surefire X200, X300, X300U, or XTI Procyon Light	4.00"																		2832				
19.23 with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon	4.00"											2832			832				2832	2832			
19 with Surefire X300	4.00"														832								

Gun/Mfrctr/Model	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
19, 23 w/Glock Tactical Light Systems: GTL 10 (light only) Note: N/A for Glock light system GTL21,GTL22 (light laser combo) Note: holster will not retain weapon without light attached	4.00"																						
20, 21 w/STD Glock Rails, w/ITI Streamlight M3, TLR-1, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.60"														3832								
20, 21 w/STD Glock Rails w/ ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300 or Insight XTI Procyon	4.60"														38321								
20, 21 w/STD Glock Rails w/ ITI M3, TLR-1, Surefire X200, X300	4.60"											3832			3832				3832	3832			
20, 21 w/STD Glock Rails w/ ITI M3, TLR-1, Surefire X200, X300, or X300U																				3832			
20, 21, w/STD Glock Rails with Surefire X200 light or X300 Note: holster will not retain weapon without light attached	4.60"														3832			3830					
20,21 w/STD Glock Rails w/Laser/Tac 2 (6v) from Laser Device Inc.Or Streamlight TLR-1 and TLR-2	4.50"																	38321					
20, 20C, 21, 21C w/Streamlight M3, M6, M3 LED or Insight XTI Procyon; Note: holsters listed will not retain the handgun without the light attached																		38321					
20 & 21SF with Dual Magazine Release with ITI M3, M6, TLR-1, TLR-2, or Insight XTI Procyon	4.50"																	938321					
34, 35 w/ITI Streamlight M3 or Insight XTI Procyon NOTE: Holster will retain weapon without light attached	5.32"														6832			6832					
34, 35 w/IT Tactical Illuminator Light M3, M6 or M3 LED, TLR-1, TLR-2, or Insight XTI Procyon Note: N/A for M3X/M6X. Note: holster will not retain weapon without light attached.	5.30"														68321			68321					
34, 35 with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300 or Insight XTI Procyon	5.30"														68321								
34, 35 with ITI M3, TLR-1, or SureFire X200, X300	5.30"											6832			6832					6832			
37 with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon	4.50"											7832			6832				7832	7832			
37 with ITI M3, TLR-1, Surefire X200, X300 or Insight XTI Procyon	4.50"																	7832					
37 with Glock Tactical Light, GTL 10 (light only)	4.50"																						
Heckler & Koch	BBL	18	22		27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
P7M8	4.10"																	82					
P7M13	4.10"																	82					
P30 DAO	3.78"				295	295						295				295		295	295	295			
P2000	3.50"							744			97	97			97			97	97	97			
P2000, P2000SC	3.25"							744															
P2000 European Version w/light mount frame	3.62"						97	744										97					
P2000 European Version and US Version w/light mount frame	3.50"						97	744										97					
US Version P2000 DAO (bobbed hammer)	3.50"							744				97								97			
US Version P2000 SC DAO (bobbed hammer)	3.25"							744															
USP 9, 40	4.25"					91		83				91	140	91	91			93	91	91			
USP 9, 40 with Rubber Spurred Hammer (holsters with a manufacture date of 2308 and after)	4.25"																		91				
USP9C,40C	3.58"				291			54	291	291	291	291	140	291				291		291			
USP 9 Compact/P10 (Non-US Version)	3.80"											391							391	391			
USP45	4.53"							83					140	91				93					
USP45Compact,45ACP	3.80"												140					293					
USP40 Expert	5.20"																	96					
USP45 Expert	5.20"							49							96			96					
HK .45	4.25"							83						74	393			393		395			
HK .45 Compact	3.90"																			295			
With Lights	BBL	18	22		27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
USP 9, 40, 45 W/ HK USP Light Hammer Down N/A for DA only	4.25"														932								
USP 45 LEM (D.A.O. (Bobbed Hammer)) w/Surefire X200 light adapter with Surefire X200 light or X300 NOTE: Holsters will not retain weapon without the light attached	4.41"														1930			1930					
USP 9, 40 w/ Surefire Mount and Surefire P105 / P115 Light	4.25"																		1936				
USP 9, 40 "Hammer down or Cocked and locked" w/B & T Adapter and IT Tactical light M3, M6, M3 LED, or Insight XTI Procyon Note: The Holster will not retain weapon without light attached.	4.25"																	9221					
USP 9, 40 D.A.O. w/Surefire mount w/ Insight Technology M3X or M6X light or ITI SSL-1. Note: Holster will not retain weapon without light attached.	4.25"																	19312					
USP 9, USP .40 with Spurred Hammer and Surefire Mount MR09, and ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon	4.13"																	9321					
USP 9C, USP .40C Cocked & Locked with Surefire Mount with Surefire X200 or X300 lights	3.58"																	2910					

Gun/Mnfctr./Model	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
HK USP 40C Insight Technology M3, M6, M3X LED Tactical Illuminator Light, ITI SSL-1, or Insight XTI Procyon Bobbed Hammer Only Note: N/A for M6X Note: The holsters will not retain weapon without the light attached	3.58"																	29111					
USP .45 with Spurred Hammer and Surefire Mount MR09, and ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon	4.41"																	9321					
P2000 (U.S. Version) w/ ITI M3/M6 or Insight XTI Procyon	3.50"																	9711					
P2000 (US Version) DAO, Bobbed Hammer, w/Insight Technology M3X Light Only	3.66"																						
P2000 DAO (bobbed Hammer) with B&T adaptor and a Glock Light System: Models: GTL 10 (light only), GTL21 (light/laser combination), GTL22 (light/laser combination), GTL51 (light/laser combination), GTL52 (light/laser with dim-switch)	3.50"																	9710					
P2000 Europea Version with B & T adapter (TL P2000) with M3/M6 IT tactical illuminator light, ITI SSL-1, or Insight XTI Procyon NOTE: Holster will not retain weapon without light attached.	3.50"																	9721					
P30L with ITI M3X or M6X Light	4.44"																	39512					
HSAmerica	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
HS2000 9MM, 40, 357	4.00"												140					148					
Kahr	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
E9 K9, K40	3.50"					54	53	54															
P380	2.50"		189	189																			
PM9	3.00"			186																			
Kel Tec	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
P3AT .380ACP			188	188																			
Kimber	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
KIP45CJUS	5.00"					53	53	53		53				53				53					
1911	5.00"											53							53				
Pro Carry 1911	4.00"											52								53			
Gold Combat RL II, Warrior (w/light rail)	5.00"							53		56		56						56	56	56			
With Lights	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
1911 w/rails: Gold Combat RL: Custom TLE/RL w/Surefire X200 light or X300 NOTE: Holster will not retain weapon without light attached	5.00"													5340				5340	560				
Magnum Research	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
Baby Eagle	4.00"							49															
Para Ordnance	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
12.45LDA	3.50"					54	53	54						54									
12.45LDASS	3.50"					54	53	54						54									
14.40LDASS	3.50"					54	53	54						54									
14.45LDA	5.00"					53	53	53						53				53					
14.45LDALTD	5.00"					53	53	53						53				53					
14.45LDALTDSS	5.00"					53	53	53						53				53					
14.45LDASS	5.00"					53	53	53						53				53					
16.40LDALTD	5.00"					53	53	53						53				53					
16.40LDALTDSS	5.00"					53	53	53						53				53					
18.9LDA	5.00"					53	53	53						53				53					
18.9LDASS	5.00"					53	53	53						53				53					
7.45LDA	5.00"					53	53	53						53				53					
7.45LDALTD	5.00"					53	53	53						53				53					
7.45LDALTDSS	5.00"					53	53	53						53				53					
7.45LDASS	5.00"					53	53	53						53				53					
Carry.45ACP	3.00"					54	53	54						54									
Companion.45ACP	3.50"					54	53	54						54									
OPS 1911	5.00"							54					140										
P12-45LTDSS	3.50"					54	53	54						54									
P12-45SS	3.50"					54	53	54						54									
P13-45	4.25"					53	51	53						51									
P13-45LTD	4.25"					53	51	53						51									
P13-45LTDSS	4.25"					53	51	53						51									
P13-45SS	4.25"					53	51	53						51									
P-14	5.00"					53		53						53									
P14-45	5.00"					53	53	53		53				53									
P14-45LTD	5.00"					53	53	53						53				53					
P14-45LTDSS	5.00"					53	53	53						53				53					
P14-45SS	5.00"					53	53	53						53				53					
P16-40	5.00"					53	53	53						53				53					
P16-40LTDSS	5.00"					53	53	53						53				53					
P16-40SS	5.00"					53	53	53						53				53					
P18-9	5.00"					53	53	53						53				53					
PRX1445	5.00"							49		56			140					56	56				
Todd Jarrett 1911	5.00"							53		53		53	140					53	53				
Ruger	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
KP89	4.50"					65		83					140	65									
KP89DAO	4.50"					65		83					140	65									
KP89DAOOW	4.50"					65		83					140	65									

Gun/Mfr/Model	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
KP89DC	4.50"					65		83					140	65									
KP89DW	4.50"					65		83					140	65									
KP89W	4.50"					65		83					140	65									
KP90	4.50"					65		49					140										
KP90DC	4.50"					67							140										
KP90DW	4.50"					67							140										
KP90W	4.50"					67							140										
KP91DAO	4.50"					67		49					140										
KP91DC	4.50"					67		49					140										
KP93	3.88"							744					140										
KP94, KP944W, KP944DW	4.25"							744					140										
KP944DAOW, KP944	4.25"												140										
KP944DC, KP944DAO	4.25"												140										
P345	4.00"						383	83		77													
P85	4.50"					65		83					140	65									
P89	4.50"					65		83					140	65									
P89DC	4.50"					65		83					140	65									
P89W, P89DW	4.50"					65		83					140	65									
P90.45CAL.	4.50"					67		49					140										
P90DC	4.50"					67							140										
P91DAO	4.50"					67							140										
P91DC	4.50"					67		49					140										
P95D, KP95D	4.25"							744					140										
P95DAO, KP95DAO	4.25"							744					140										
LC9	3.12"				184											184							
LCP .380	2.75"		188	188																			
LCP .380 with Crimson Trace	2.75"		1881	1881																			
SR9	4.00"						77	54					140										
SR9C	3.3.8"					83	97	54					140										
SAR Arms	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
SARK2	4.5"							49					49										
SigSauer	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
P220 before gun serial number (G158180), P226 before serial gun number (365426)	4.41"	77				77	77	744			77	77	140	77	77			77	77	77			
P220R DAK P220R DASA Bobbed or Spurred Hammer	4.41"							744															
P220R Compact	3.75"					744		744					140					74					
P220R, P226R	4.41"															477							
P226DAO, P220DAO	4.41"	77			77	77	77	83	777				140	77				77					
P220R DAK, P226R DAK bobbed hammer w/light rails	4.41"								777		477	477						277	477	477			
P220R DASA, P226R DASA Spurred hammer w/light rails	4.41"										477	477							477	477			
P220STStainlessSteel P220R, P220S, P226R	4.41"					77			777	77								77					
P226S, P226SO withAccessoryRails	4.25"							49					140					77					
P226R MK25	4.25"							49										77		477			
P226R DAK P226R DASA Bobbed or Spurred Hammer	4.41"							49															
P226afterS/N365426(widetriggerguard)	4.41"							49					477	140									
P226R Elite	4.41"							49					477	140									
P225	3.90"				77	79	77	54			79	79	140	79	74			74	79	79			
P227 (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)	4.40"							49		77			140			477		77	477	477			
P227R3	3.78"							744					140										
P228	3.90"	74			77	79	77	54	74	74	74	74	140	79	74			74	74	74			
P229	3.90"	74			77	74	77	54	74	74	74	74	140	74	74			74	74	74			
P229 Elite	3.90"	74			77	74	77	54			74												
P229R DASA spurred hammer w/light rails	3.90"					744		744	744	74	744	744			744			74	744	744			
P229R DAK bobbed hammer w/light rails	3.90"					744		744	744		744	744			744			174	744	744			
P230	3.62"					85																	
P239 (will only fit 9mm as of manufactured date 4603)	3.63"					75	77	54	75				140					75					
P239 .40 & .357	3.63"	75				75	77	54	75	75			140					75					
P239 9mm	3.63"												75						75				
P239 .40	3.63"												754							754			
P245	3.90"					77		83					140	74									
P250 Compact 9/40	3.88"							49					750					750	750	750			
P250 Full Size 9mm, .40, .45	4.70"												450						450	450			
P320	4.7"							49															
P320C	3.9"							744															
SIGProSP2340, 2009	3.88"					78	77		78	74				78				78					
SIGPro SPC2009-wlightmountrails	3.50"							744										278					
P2022spurred hammer	3.87"					78						278		78				278	278	278			
P2022R-w gun mount light	3.87"							744															
Sig Arms GSR Revolution 1911	5.00"							53										256					
With Lights	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
P220R, P226R DASA/ DAK W/ Accessory Rails W/ M3, M6	4.41"																						
ITI Tactical Illuminator Light, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XT1 Procyon																							

Gun/Mnfr/Model	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
Sig P220R DAK, P226R DAK (with bobbed hammer) with ITI M3, M6, ITI SSL-1, Insight XTI Procyon, or Streamlight TLR-1, TLR-2. Note: holster will not retain gun without light attached.	4.41"														77421				27721				
Sig P220R DAK, P226R DAK (with bobbed hammer) with Sure-Fire X200 or X300 Light. Note: Holster will not retain weapon without light attached.	4.41"																		2770				
P220, P226 w/Sure-Fire Military Series Light W113,W113C,W113D & W114,W114C,W114D NOTE: Holster will retain weapon without light attached	4.41"																		778				
P220R,P220S P226S,P226SO,P226R w/Accy Rails (DASA Spurred Hammer) w/M3, M6 IT Tac Illuminator Light, Streamlight TLR-1, TLR-2 or Insight XTI Procyon.	4.41"																		77421				
P220R,P226R (DASA Spurred Hammer) w/Insight Technology Streamlight M3X or M6X Tac Illuminator Light or Surefire X400 light NOTE: Holster will not retain weapon without light attached	4.41"																		77412				
P220SO,P220ST,P220R,P226R (DASA Spurred Hammer) w/Sure Fire X200 or X300 light NOTE: Holster will not retain weapon without light attached	4.41"																		7740				
P220, P226 with Beamshot Model 8000 or Model 8100	4.41"																		7712				
P220, P226 with IT Mount and Insight Technology M3X, M6X. NOTE: The Holster will not retain weapon without light attached.	4.41"																		7712				
P220R P226R (DASA Spurred Hammer) w/Accy Rails w/Laser/Tactical 2 (6v) from Laser Device Inc. Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, or Insight XTI Procyon.	4.41"														77421				77421				
P220R & P226R with ITI M3, TLR-1, Surefire X200, X300	4.41"											7742								7742			
P220R, P226R with MOLAD Light Laser	4.41"																		77413				
P226 (full size hammer) with Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: Holsters will not retain weapon without the light attached.	4.41"																		7721				
P226 w/Sure-Fire NITROLON P113,P113C,P113D& P114,P114C,P114D NOTE: Holster will retain weapon without light attached	4.41"																		778				
P226 with Surefire MR14 Rail & Surefire X200 or X300 light Note: Right Handed Holsters will accommodate LASER GRIPS	4.41"																		7700				
P226 MK25 with X300 or X300 Ultra light	4.41"																		7740				
P226R X-Five with Surefire X200 or X300 light	5.00"																		3770				
P228,P229 with M3, M6, M3 LED light or Insight XTI Procyon with ITI mount. Or Streamlight TLR-1 and TLR-2.	3.90"																		7421				
P229R DASA (Spurred Hammer) with accy rails with M3, M6, M3 LED light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. NOTE: Holster will not retain weapon without light attached. N/A M3X, M6X.	3.90"																		74421				
P229 R DAK with Light Rails; Bobbed Hammer with IT Tactical Illuminator Light M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: The Holster will not retain weapon without light attached.	3.90"																		17421				
P229R DAK Bobbed Hammer w/ Insight Technology M3X or M6X light. NOTE: Holster will not retain pistol without light attached.	3.90"																		17412				
P229 R DAK w/bobbed hammer with Surefire X200 or X300 light NOTE: The Holster will not retain weapon without light attached.	3.90"																		1740				
P229R DASA w/Spurred Hammer w/Surefire X200 or X300 Light NOTE: Holster will not retain weapon without light attached.	3.90"																		7440				
P229R with ITI M3, TLR-1, Surefire X200, X300	3.90"											7442							7442	7442			
Sig Pro SPC 2009 w/Sig metal rail adaptor and IT streamlight M3 tactical illuminator light or Insight XTI Procyon NOTE: The holster will not retain weapon without light attached.	3.50"																		2782				
Sig Pro P2022 with Insight Technology M3, M6 or M3 LED Tactical Illuminator light, ITI SSL-1, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. Note: The holster will not retain weapon without light attached.	3.50"																		27821				
1911 GSR w/ ITI M3, M6, Streamlight TLR-1, TLR-2, Surefire X200, X300, SSL-1 or Insight XTI Procyon. NOTE: Holster will NOT retain weapon without light attached	5.00"																		25621				
Smith&Wesson	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378	7287	7367	7377/7378/7379

Gun/Mnfctr./Model	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
39	4.00"				83	18	18	83	18				140	18									
59	4.00"				83	18	18	83	18				140	18									
410	4.00"							83					140										
411	4.00"					140		83	140	140			140										
439	4.00"				83	18	18	83	18				140	18									
457	4.00"							83					140										
459	4.00"				83	18	18	83	18				140	18									
469	3.50"				83	20	18	54					140	20									
639	4.00"				83	18	18	83	18				140	18									
645	5.00"					23		53					140					210					
659	4.00"				83	18	18	83	18				140	18									
669	3.50"				83	20	18	54					140	20									
908	3.50"							54					140										
909	4.00"							83					140										
910	4.00"							83					140										
915	4.00"					18		83	18				140	18									
1006	5.00"							53					140					210					
1026	5.00"							53					140					210					
1046	5.00"							53					140										
1066	4.25"					410		83					140										
1076	4.25"					310		83					140										
1086	4.25"					410		83					140										
2213	3.00"																						
3904	4.00"				83	18	18	83	18	140			140	18									
3906	4.00"				83	18	18	83	18	140			140	18									
3913	3.50"				83	20	18	54	20				140	20									
3913LS	3.50"				83	20	18						140	20									
3913NL	3.50"				83	20	18						140	20									
3913TSW,3953TSW(with rails)	3.50"												140										
3913TSW w/o lightmnt	3.50"					20	18	54					140	20									
3914LS	3.50"				83	20	18						140	20									
3953	3.50"						18	54					140	20									
3953TSW	3.50"						18						140	20									
3953TSW w/o lightmnt	3.50"						18						140	20									
3953/3954	3.50"						18	54	20				140	20				321		320			
4003TSW,4006TSW (manufacturing date of 4603),4043TSW,4046TSW(with rails)	4.00"							744					140										
4006TSW w/Picatinny Rails, 4006TSW W/STD Rails	4.00"																	141					
BOBBED HAMMER ONLY																		140					
4006	4.00"				83	140	140	83	140	140			140										
4013	3.50"				83	423		54					140										
4013TSW,4053TSW(with rails)	3.50"												140										
4013TSW w/o lightmnt	3.50"					20	18	54					140	20									
4026	4.00"				83	140	140	83	140	140			140										
4043	4.00"																	140					
4046	4.00"				83	240	140	83	140	140			140					140					
4053	3.50"				83			54					140										
4053TSW w/o lightmnt	3.50"						18	54					140	20									
4056TSW w/o lightmnt	3.50"						18	54					140	20									
4506-1	5.00"					23		53					140					210					
4506	5.00"							53					140					210					
4513TSW,4553TSW(with rails)	3.50"												140										
4513TSW w/ lightmnt	3.50"					423		744					140										
4516-1Ver.II,4516-2	3.75"				83	423		54					140										
4526	5.00"							53					140					210					
4536	3.75"				83	423		54					140										
4546	5.00"							53					140										
4553TSW w/o lightmnt	3.50"					410		54															
4556	3.75"				83			54					140										
4563TSW,4566TSW(with rails)						430																	
4563TSW,4566TSW,4583TSW,4586TSW(with rails)	4.25"												140					210					
4566	4.25"					410		83					140										
4576	4.25"					310		83					140										
4586	4.25"					410		83					140					210					
5903	4.00"				83	18	18	83	18	140			140	18				140					
5903TSW,5906TSW (manufacturing date of 4603),5943TSW,5946TSW(with rails)	4.00"				83			83					140					140					
5904	4.00"				83	18	18	83	18	140			140	18				140					
5906lqtriggrd	4.00"					18	18	83	18				140	18									
5906shrttriggrd	4.00"				83	18	18	83	18	140			140	18				140					
5923	4.00"				83	18	18	83	18				140	18									
5924	4.00"				83	18	18	83	18				140	18									
5926	4.00"				83	18	18	83	18				140	18									
5943shrttriggrd	4.00"						18	83	18	140			140	18				140					
5944shrttrigard	4.00"						18	83	18	140			140	18				140					
5946lqtriggrd	4.00"				83		18	83	18				140	18									
5946shrttriggrd	4.00"				83		18	83	18	140			140	18				140					
5946 & 5943 DAO without Rails	4.00"											320											
6904	3.50"				83	20	18	54	20				140	20									
6906lqtrigard	3.50"					20	18	54					140	20									
6906shrttrigard	3.50"					20	18	54	20				140	20									
6924	3.50"				83	20	18	54	20				140	20									

Gun/Mnfctr/Model	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
6926	3.50"				83	20	18	54	20				140	20									
6944shrtrrigard	3.50"				83		18	54					140	20									
6946lqtrigard	3.50"				83		18	54					140	20						320			
6946shrtrrigard	3.50"				83		18	54					140	20						320			
Bodyguard .380	2.75"		194	194																			
ChiefsSpecialCS40	3.25"							54															
ChiefsSpecialCS45	3.25"						83	54															
ChiefsSpecialCS9	3.00"						83	54					140										
Sigma380	3.00"					38																	
Sigma40 9mm	4.50"					40	40	83						40					40				
Sigma9C,40C,40V,9V,9E	4.00"					39	40	83					140	40					40				
Sigma9F,40F	4.50"					40	40	83						40					40				
SW99 9mm & .40	4.00"					84		744	84		84	84							84	84	84		
SW99 45ACP	4.25"																		86				
M&P 22 LR	4.25"											219								219	219		
M&P 9mm & .40	4.50"	219			83	39	383	83			219	319	140	40		219	219	219	219	219	319	219	219
M&P 9mm & .40 with thumb safety	4.50"					619			619									619					
M&P 9mm & .40	5.00"								819														
M&P 9C & .40C without thumb safety	3.38"				83	219	83	83		48		319		219			319		719	219	319		
M&P 9C & .40C with thumb safety	3.38"					719																	
M&P 9L M&P 9 Pro without thumb safety	5.00"															819		819	819				819
M&P 9L M&P 9 Pro with thumb safety	5.00"															819		820					
M&P 9 Shield	3.00"				179		83	54								179				179			
M&P .45 without thumb safety	4.50"				83		383	83				419						519	419	419			
M&P .45 with or without thumb safety	4.50"							83				519						519	519	519			
M&P .45C without thumb safety	4.00"											919							919	919			
M&P .45C with thumb safety	4.00"											920							920	920			
1911	5.00"				53			53				53							53	53			
1911 w/Tactical Rails	5.00"							53				56							56	56			
With Lights	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
4566 TSW w/light rails and ITI Streamlight M5	4.13"																	4302					
4566TSW w/Picatinny Rails and ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon light	4.25"																		4302				
M&P 9 & .40 W/ M3 or M6, ITI TRL-1 or TRL-2	4.50"																	21921					
M&P 9mm & .40 w/ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon Light	4.50"											2192							2192	2192			
M&P 9mm & .40 with SureFire X200, X300	4.50"																	2190					
M&P .45 without thumb safety with ITI M3,TLR-1, Surefire X200, X300,or Insight XTI Procyon lights	4.50"											4192							4192	4192			
M&P .45 with or without thumb safety with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2 or Insight XTI Procyon lights	4.50"																	51921					
M&P .45 with or without thumb safety with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights	4.50"											5192							5192	5192			
M&P 45C without thumb safety W/ ITI M3, TLR-1, SureFire X200, X300	4.00"											9192							9192	9192			
M&P 45C with thumb safety W/ ITI M3, TLR-1, SureFire X200, X300	4.00"											9202							9202	9202			
1911 w/Tactical Rails with Surefire X200 or X300 lights	5.00"											560							560				
Sphinx	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
SDP Standard	4.50"											281							281	281			
SDP-S WLI-AA with laser	4.50"											28115							28115	28115			
SDP Compact	3.70"											282								282			
XDP Subcompact	3.13"										285									285			
3000 cocked and locked or with hammer down	3.75"																		182				
3000 cocked and locked or with hammer down	4.50"							49											182				
With Lights	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
3000 cocked and locked w/ITI LAM light	3.75"																		1825				
3000 cocked and locked w/ITI LAM light	4.50"																		1825				
Springfield Armory	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
Model1911-A1	5.00"				53	53	53	53		53		53		53		53			53	53	53		
Operator1911-A1	5.00"									56		56			56				56	56	56		
XD 9, 40, 45 and .357	4.00"							744		48		148				48			148	148	148		
XD 9, 40, 45 and .357	5.00"							49		149		149				49			149	149	149		
XD 9mm & .40 Subcompact	3.00"	47													47								
XD(M) 9mm & .40	4.50"							49		49		149	140			49			149	149	149		
XD(M) .40	4.50"	47						49		49		146	140		146	49			149	146	146		
XD(M) 9mm	4.50"	47						49		49		145	140		146	49			149	145	145		
XD(M) 45	4.50"							49		49		146				49				146			
XD(M) 9mm & 40	5.25"															49							
XD(M) 9mm	5.25"															147							
XD-S	3.00"				45											45							
With Lights	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
1911 Operator w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2	5.00"																		5621				
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire x200 Light or X300	5.00"																		530				
Operator 1911-A1 w/ M3, M6, M3 LED StreamLight or Insight XTO Procyon Light	5.00"																		5621				
Operator 1911-A1 w/ M6X or M3X StreamLight or ITI SSL-1	5.00"																		5612				

Gun/Mfctr./Model	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
Operator 1911-A1 with Surefire X200 or X300 light	5.00"														5340				560				
XD 9mm, .40, .45 w/ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2 or Insight XTI Procyon light Note: Holster will NOT retain weapon without light attached	4.00"														14821			14821					
XD 40 & 45 with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights Note: Holster will retain weapon without light attached	4.00"																		1482				
XD 9mm with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights Note: Holster will retain weapon without light attached	4.00"														14821			462					
XD 9mm, .40, .45 w/ITI M3, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon Note: Holster will NOT retain weapon without light attached Note: Holster will NOT retain weapon without light attached	5.00"														14921			14921					
XD 9mm, .40, .45 w/ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon Note: Holster will retain weapon without light attached	5.00"														14921			1492					
XD(M) 9mm with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights Note: Holster will retain weapon without light attached	4.50"																	1452					
XD(M) 40 with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights Note: Holster will retain weapon without light attached	4.50"																	1462					
XD(M) 9mm & .40 with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon lights	4.50"																	14921					
STI/SVI	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
1911 with rails	5.00"							53				56						56		56			
1911 without rails	5.00"				53	53	53	53				53		53				53		53			
2011 with Full Size Dust Cover	5.00"															850							
2011 with Short Dust Cover	5.00"															851							
2011 with Short Dust Cover	6.00"															852							
STI Tactical	5.00"																	56					
GP6	4.25"							83							855								
GP5 9mm	3.58"							744															
With Lights	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
1911 w/rails: Infinity Lighted Gun, STI 2011 Tactical, Tactical Lite, Duty One w/Surefire X200 light or X300 NOTE: Holster will not retain weapon without light attached	5.00"																	5340					
STI Tactical w/ M3, M6, M3 LED StreamLight, TLR-1, TLR-2 or Insight XTI Procyon	5.00"																	5621					
Stinger	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
S-200																		164					
Tangfolio	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
Force	3.66"																	262					
Force Full Size	4.45"																	362					
Taser International	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
Advanced Taser M26																		63					
X26																		64					
X3																		163					
Taurus	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
24/7 w/laccy rails	4.00"					39	77	83						40				40					
PT92, PT99C	5.00"					73	73	53					140	73	73								
PT99	5.00"					73	73	53					140	73									
PT99C	4.00"					273	73	51					140	73	73								
PT92C	4.00"					273	73	51					140	73	73								
PP	3.86"						89							89									
Walther	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
PPK	3.27"					89	89							89									
PPKS	3.27"					89	89							89									
P5	3.50"							54								87		87					
P99	4.00"					84		54			84	84						84	84	84			
P99Q/PPQ (2008 & newer)	4.00"											384				384		384	384	384			
P99QA	4.00"																	84					
P99C QA	3.50"					84					84	84	140					84	284	84			
P99 2008 Version	4.00"											384							384				
Wilson	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
1911 COB w/light rail	5.00"							744															
1911	4.88"					53		53						53				53					
With Lights	BBL	18	22	25	27	518	527	567/568/569	0701	747	1051	1053	1090	5181	5188	5195/5197/5198/5199	5377/5378/5379	6287	6367	6377/6378/6379	7287	7367	7377/7378/7379
1911 w/rails: COB w/Surefire X200 light or X300 NOTE: Holster will not retain weapon without light attached	5.00"																	5340	560				

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for, or the consequences